

## **Optimizing Patient Outcomes in Bipolar Disorder: Long-term Management of Major Depressive Episodes - Tweetorial #5**

### **References**

#### **Tweet 5**

Cooper SJ, Reynolds GP, Barnes T, et al. BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. *J Psychopharmacol.* 2016 Aug;30(8):717-48. doi:10.1177/0269881116645254

American Diabetes Association; American Psychiatric Association; American Association of Clinical Endocrinologists; North American Association for the Study of Obesity. Consensus development conference on antipsychotic drugs and obesity and diabetes. *Diabetes Care.* 2004;27(2):596-601. doi:10.2337/diacare.27.2.596

Weiner M, Warren L, Fiedorowicz JG. Cardiovascular morbidity and mortality in bipolar disorder. *Ann Clin Psychiatry.* 2011;23(1):40-47.

Kemp DE, Gao K, Chan PK, Ganocy SJ, Findling RL, Calabrese JR. Medical comorbidity in bipolar disorder: relationship between illnesses of the endocrine/metabolic system and treatment outcome. *Bipolar Disord.* 2010;12(4):404-413. doi:10.1111/j.1399-5618.2010.00823.x

#### **Tweet 6**

Crump C, Sundquist K, Winkleby MA, Sundquist J. Comorbidities and mortality in bipolar disorder: A Swedish national cohort study. *JAMA Psychiatry.* 2013;70(9):931-939. doi:10.1001/jamapsychiatry.2013.1394

Yatham LN, Kennedy SH, Parikh SV, et al. Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. *Bipolar Disord.* 2018;20(2):97-170. doi:10.1111/bdi.12609

#### **Tweet 8**

de Almeida KM, Moreira CLRL, Lafer B. metabolic syndrome and bipolar disorder: what should psychiatrists know? *CNS Neurosci Ther.* 2012;18(2):160-166. doi:10.1111/j.1755-5949.2011.00240.x

International Diabetes Federation. *The IDF Consensus Worldwide Definition of the Metabolic Syndrome.* Brussels, Belgium: IDF Communications; 2006.

Cooper SJ, Reynolds GP, Barnes T, et al. BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. *J Psychopharmacol.* 2016 Aug;30(8):717-48. doi:10.1177/0269881116645254

American Diabetes Association; American Psychiatric Association; American Association of Clinical Endocrinologists; North American Association for the Study of Obesity. Consensus development conference on antipsychotic drugs and obesity and diabetes. *Diabetes Care.* 2004;27(2):596-601. doi:10.2337/diacare.27.2.596

**Tweet 9**

Cooper SJ, Reynolds GP, Barnes T, et al. BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. *J Psychopharmacol.* 2016 Aug;30(8):717-48. doi:10.1177/0269881116645254

Stahl SM, Morissette DA, Faedda G, et al. Guidelines for the recognition and management of mixed depression. *CNS Spectr.* 2017;22(2):203-219. doi:10.1017/S1092852917000165

**Tweet 11**

Kemp DE, Gao K, Chan PK, Ganocy SJ, Findling RL, Calabrese JR. Medical comorbidity in bipolar disorder: relationship between illnesses of the endocrine/metabolic system and treatment outcome. *Bipolar Disord.* 2010;12(4):404-413. doi:10.1111/j.1399-5618.2010.00823.x.

Cooper SJ, Reynolds GP, Barnes T, et al. BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. *J Psychopharmacol.* 2016 Aug;30(8):717-48. doi:10.1177/0269881116645254

Crump C, Sundquist K, Winkleby MA, Sundquist J. Comorbidities and mortality in bipolar disorder: A Swedish national cohort study. *JAMA Psychiatry.* 2013;70(9):931-939.  
doi:10.1001/jamapsychiatry.2013.1394

Merikangas KR, Jin R, He JP, et al. Prevalence and correlates of bipolar spectrum disorder in the World Mental Health Survey Initiative. *Arch Gen Psychiatry.* 2011;68(3):241-251.  
doi:10.1001/archgenpsychiatry.2011.12

**Tweet 12**

Crump C, Sundquist K, Winkleby MA, Sundquist J. Comorbidities and mortality in bipolar disorder: A Swedish national cohort study. *JAMA Psychiatry.* 2013;70(9):931-939.  
doi:10.1001/jamapsychiatry.2013.139

Merikangas KR, Jin R, He JP, et al. Prevalence and correlates of bipolar spectrum disorder in the World Mental Health Survey Initiative. *Arch Gen Psychiatry.* 2011;68(3):241-251.  
doi:10.1001/archgenpsychiatry.2011.12

Weiner M, Warren L, Fiedorowicz JG. Cardiovascular morbidity and mortality in bipolar disorder. *Ann Clin Psychiatry.* 2011;23(1):40-47.

Tondo L, Baldessarini RJ, Hennen J, Floris G, Silvetti F, Tohen M. Lithium treatment and risk of suicidal behavior in bipolar disorder patients. *J Clin Psychiatry.* 1998;59(8):405-414. doi:10.4088/jcp.v59n0802

Galfalvy H, Oquendo MA, Carballo JJ, et al. Clinical predictors of suicidal acts after major depression in bipolar disorder: a prospective study. *Bipolar Disord.* 2006;8(5 Pt 2):586-595. doi:10.1111/j.1399-5618.2006.00340.x

**Tweet 13**

Crump C, Sundquist K, Winkleby MA, Sundquist J. Comorbidities and mortality in bipolar disorder: A Swedish national cohort study. *JAMA Psychiatry.* 2013;70(9):931-939.  
doi:10.1001/jamapsychiatry.2013.139

Merikangas KR, Jin R, He JP, et al. Prevalence and correlates of bipolar spectrum disorder in the World Mental Health Survey Initiative. *Arch Gen Psychiatry*. 2011;68(3):241-251.  
doi:10.1001/archgenpsychiatry.2011.12

Hirschfeld RM, Calabrese JR, Weissman MM, et al. Screening for bipolar disorder in the community. *J Clin Psychiatry*. 2003;64(1):53-59. doi:10.4088/jcp.v64n0111

Hirschfeld RM, Lewis L, Vornik LA. Perceptions and impact of bipolar disorder: how far have we really come? Results of the national depressive and manic-depressive association 2000 survey of individuals with bipolar disorder. *J Clin Psychiatry*. 2003;64(2):161-174.

Drancourt N, Etain B, Lajnef M, et al. Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. *Acta Psychiatr Scand*. 2013;127(2):136-144. doi:10.1111/j.1600-0447.2012.01917.x

#### **Tweet 14**

American Diabetes Association; American Psychiatric Association; American Association of Clinical Endocrinologists; North American Association for the Study of Obesity. Consensus development conference on antipsychotic drugs and obesity and diabetes. *Diabetes Care*. 2004;27(2):596-601.  
doi:10.2337/diacare.27.2.596

Shavelle RM, Strauss DJ, Paculdo DR. Computing exact excess death rates from a published mortality study. *J Insur Med*. 2006;38(2):105-109.

Stahl SM, Morissette DA, Faedda G, et al. Guidelines for the recognition and management of mixed depression. *CNS Spectr*. 2017;22(2):203-219. doi:10.1017/S1092852917000165

## **Glossary**

BD, bipolar disorder  
BMI, body mass index  
CI, confidence interval  
COPD, chronic obstructive pulmonary disease  
CVD, cardiovascular disease  
EPS, extrapyramidal symptoms  
HDL-C, High-density lipoprotein cholesterol  
HR, hazard ratio  
MDD, major depressive disorder  
OCD, obsessive-compulsive disorder  
Pts, patients  
Tx, treatment  
w/, with  
YO, year-old  
Yr, year